COA ENGINEER


79300023 PROJECT MANAGER

J. Steele

PROFESSIONAL

DRAWN BY A. Ziebell CHECKED BY

REZONING PLAN



DEVELOPMENT STANDARDS

I. GENERAL PROVISIONS:

1A. DEVELOPMENT OF THE SITE WILL BE CONTROLLED BY THE STANDARDS DEPICTED ON THE SITE PLAN AND BY THE STANDARDS OF THE CITY OF CHARLOTTE UNIFIED DEVELOPMENT ORDINANCE. THE DEVELOPMENT DEPICTED ON THIS PLAN IS INTENDED TO REFLECT THE ARRANGEMENT OF USES ON THE SITE, BUT THE EXACT CONFIGURATION, PLACEMENT, AND SIZE OF INDIVIDUAL SITE ELEMENTS MAY BE ALTERED OR MODIFIED WITHIN THE LIMITS PRESCRIBED BY THE ORDINANCE DURING THE DESIGN DEVELOPMENT AND CONSTRUCTION PHASES AS ALLOWED UNDER THE PROVISIONS OF SECTION 37 OF THE UNIFIED DEVELOPMENT ORDINANCE.

1B. THE PETITIONER ACKNOWLEDGES THAT OTHER STANDARD DEVELOPMENT REQUIREMENTS IMPOSED BY OTHER CITY ORDINANCES, SUCH AS THOSE THAT REGULATE STREETS, SIDEWALKS, TREES, BICYCLE PARKING, AND SITE DEVELOPMENT, MAY APPLY TO THE DEVELOPMENT OF THIS SITE, THESE ARE NOT ZONING REGULATIONS, ARE NOT ADMINISTERED BY THE ZONING ADMINISTRATOR, AND ARE NOT SEPARATE ZONING CONDITIONS IMPOSED BY THIS SITE PLAN. UNLESS SPECIFICALLY NOTED IN THE CONDITIONS FOR THIS SITE PLAN, THESE OTHER STANDARD DEVELOPMENT REQUIREMENTS WILL BE APPLIED TO THE DEVELOPMENT OF THIS SITE AS DEFINED BY THOSE OTHER CITY ORDINANCES.

1C. THROUGHOUT THIS REZONING PETITION, THE TERMS "OWNER", "OWNERS", "PETITIONER" OR "PETITIONERS", SHALL, WITH RESPECT TO THE SITE, BE DEEMED TO INCLUDE THE HEIRS, DEVISEES, PERSONAL REPRESENTATIVES, SUCCESSORS IN INTEREST AND ASSIGNEES OF THE OWNER OR OWNERS OF THE SITE WHO MAY BE INVOLVED IN ITS DEVELOPMENT FROM TIME TO TIME.

2A. THE PURPOSE OF THIS REZONING APPLICATION IS TO REZONE THE SUBJECT PARCEL FROM TOD-TR TO CG (CD) TO PERMIT THE PROPOSED LAND USE OF A FINANCIAL INSTITUTION WITH DRIVE-THRU.

2B. PERMITTING USES SHALL BE LIMITED TO THOSE SHOWN ON THE SITE PLAN (FINANCIAL INSTITUTION WITH DRIVE-THRU).

3. TRANSPORTATION:

3A. THE SITE CURRENTLY HAS FULL ACCESS CONNECTIONS TO SOUTH BOULEVARD AND STARMOUNT COVE LANE. THESE CONNECTIONS ARE GENERALLY DEPICTIED ON THE SITE PLAN.

3B. PARKING AREAS ARE GENERALLY DEPICTED ON THE SITE PLAN.

3C. SITE ACCESS IS CURRENTLY VIA TWO (2) FULL ACCESS CURB CUTS FROM SOUTH BOULEVARD, AS WELL AS ONE (1) FULL ACCESS CURB CUT FROM STARMOUNT COVE LANE. AS A CONDITION OF APPROVAL, THE OWNER WILL REMOVE THE EXISTING CURB CUT ON SOUTH BOULEVARD, LOCATED ±40 FT (TO) NORTH OF STARMOUNT COVE LANE. THE REMAINING CURB CUT ON SOUTH BOULEVARD WILL BE USED AS A RIGHT-IN. RIGHT-OUT DRIVE (INSTEAD OF THE EXISTING FULL ACCESS USAGE). THIS CURB CUT IS ESSENTIAL FOR ONSITE VEHICULAR CIRCULATION, PEDESTRIAN SAFETY, AND TO AVOID DIVERTING ALL TRAFFIC TO

STARMOUNT COVE LANE AND ADJACENT RESIDENTIAL NEIGHBORHOOD. 3D. A RIGHT-OF-WAY ENCROACHMENT AGREEMENT IS REQUIRED FOR THE INSTALLATION OF ANY NON-STANDARD ITEM(S) (IRRIGATION SYSTEMS, DECORATIVE CONCRETE PAVEMENT, BRICK PÁVERS, ETC.) WITHIN A PROPOSED/EXISTING CITY-MAINTAINED STREET RIGHT-OF-WAY BY A PRIVATE INDIVIDUAL, APPROVED BY CDOT PRIOR TO CONSTRUCTION/INSTALLATION. CONTACT CDOT FOR ADDITIONAL INFORMATION CONCERNING COST SUBMITTAL,

3E. THE PETITIONER SHALL DEDICATE AND CONVEY IN FEE SIMPLE ALL RIGHTS-OF-WAY TO THE CITY BEFORE THE SITE'S FIRST BUILDING CERTIFICATE OF OCCUPANCY IS ISSUED. CDOT REQUESTS RIGHTS-OF-WAY SET AT 2 FT BEHIND BACK OF SIDEWALK WHERE FEASIBLE.

3F. ALL TRANSPORTATION IMPROVEMENTS WILL BE APPROVED AND CONSTRUCTED BEFORE THE SITE'S FIRST BUILDING CERTIFICATE OF OCCUPANCY IS ISSUED.

3G. ALL PUBLIC ROADWAY IMPROVEMENTS WILL BE SUBJECT TO THE STANDARDS AND CRITERIA OF CDOT AND NCDOT. AS APPLICABLE. TO THE ROADWAY IMPROVEMENTS WITHIN THEIR RESPECTIVE ROAD SYSTEM AUTHORITY. IT IS UNDERSTOOD THAT SUCH IMPROVEMENTS MAY BE UNDERTAKEN BY THE PETITIONER ON ITS OWN OR IN CONJUNCTION WITH OTHER DEVELOPMENTS OR ROADWAY PROJECTS TAKING PLACE WITHIN THE BROAD SOUTHERN MECKLENBURG AREA, BY WAY OF A PRIVATE/PUBLIC PARTNERSHIP EFFORT OR OTHER PUBLIC SECTOR PROJECT SUPPORT.

4. ARCHITECTURAL STANDARDS:

4A. MINIMUM HEIGHT FOR THIS STRUCTURE SHALL COMPLY WITH CITY OF CHARLOTTE UNIFIED DEVELOPMENT ORDINANCE.

4B. BUILDINGS WILL BE PLACED SO AS TO PRESENT A FRONT OR SIDE FACADE TO ALL

4C. FACADES FRONTING STREETS SHALL INCLUDE A COMBINATION OF WINDOWS AND OPERABLE DOORS FOR A MINIMUM OF 60% OF EACH FRONTAGE ELEVATION TRANSPARENT GLASS BETWEEN 2' AND 10' ON THE FIRST FLOOR. UP TO 20% OF THIS REQUIREMENT MAY BE COMPRISED OF DISPLAY WINDOWS. THESE DISPLAY WINDOWS MUST MAINTAIN A MINIMUM OF 3'-0" CLEAR DEPTH BETWEEN WINDOW AND REAR WALL. WINDOWS WITHIN THE ZONE SHALL NOT BE SCREENED BY FILM, DECALS, OPAQUE MATERIAL, GLAZING FINISHES, OR WINDOW TREATMENTS. THE MAXIMUM SILL HEIGHT FOR REQUIRED TRANSPARENCY SHALL NOT EXCEED 4'-0" ABOVE ADJACENT STREET SIDEWALK.

4D. THE FACADES OF FIRST/GROUND FLOOR OF THE BUILDINGS ALONG STREETS SHALL INCORPORATE A MINIMUM OF 30" MASONRY MATERIALS SUCH AS BRICK OR

4E. DIRECT PEDESTRIAN CONNECTION SHOULD BE PROVIDED BETWEEN STREET FACING DOORS AND CORNER ENTRANCE FEATURES TO SIDEWALKS ON ADJACENT

4F. BUILDING ELEVATIONS SHALL NOT HAVE EXPANSES OF BLANK WALLS GREATER THAN 20' IN ALL DIRECTIONS AND ARCHITECTURAL FEATURES SUCH AS, BUT NOT LIMITED TO, BANDING, MEDALLIONS, DESIGN FEATURES, OR VARYING MATERIALS WILL BE PROVIDED TO AVOID A STERILE, UNARTICULATED BLANK TREATMENT OF SUCH WALLS.

5. STREETSCAPE AND LANDSCAPING:

5A. LANDSCAPING SHALL BE PROVIDED TO COMPLY WITH ARTICLE 20 AND ITS SUBSECTIONS OF THE CITY OF CHARLOTTE UNIFIED DEVELOPMENT CODE.

5B. THE PETITIONER SHALL PROVIDE AN 8-FT WIDE PLANTING STRIP AND 8-FT WIDE SIDEWALK ALONG SOUTH BOULEVARD AND STARMOUNT COVE LANE. PLANTING STRIP AND SIDEWALK WILL BE CONSTRUCTED TO ALIGN WITH FUTURE BACK-OF-CURB FOR BOTH ROADWAYS.

THE PETITIONER AGREES TO EXTEND THE EXISTING MONOLITHIC ISLAND ON SOUTH BOULEVARD SUCH THAT THE SOUTHERN END OF THE ISLAND IS A MINIMUM OF 50 FT BEYOND THE RIGHT-IN, RIGHT-OUT DRIVE CONNECTION ON SOUTH BOULEVARD.

5D. PETITIONER SHALL PROVIDE LANDSCAPE SCREENING BETWEEN ONSITE PARKING AND AND 8-FT WIDE SIDEWALK ALONG SOUTH BOULEVARD.

5E. THE PETITIONER AGREES TO PROVIDE CROSSWALK STRIPING FOR PEDESTRIAN CROSSING AT STARMOUNT COVE LANE.

NOTE: PROPERTY INFORMATION BASED ON MECKLENBURG COUNTY GIS

STORM WATER NOTES

| 17316315 | 28771-568 | BABY HAZEL LLC

20517303 | 34417-977 | CITY OF CHARLOTTE

20517301 | 17540-337 | CITY OF CHARLOTTE

THE SITE WILL BE SUBJECT TO PCSR AND BY COMMITTING TO THESE REQUIREMENTS, THE SITE WILL NEED FULL STORMWATER CONTROLS, INCLUDING THE REDEVELOPMENT AREA. THIS PROPERTY DRAINS TO SUGAR CREE AND LOWER LITTLE SUGAR CREEK. WHICH IS AN IMPAIRED/DEGRADED STREAM, AND MAY CONTRIBUTE TO DOWNSTREAM FLOODING. THIS PROJECT HAS THE OPPORTUNITY TO MITIGATE FUTURE IMPACTS TO

6A. THE PETITIONER SHALL COMPLY WITH THE CHARLOTTE CITY COUNCIL APPROVED

AND ADOPTED UNIFIED DEVELOPMENT ORDINANCE, STORMWATER ARTICLES 23

THROUGH 28. THE LOCATION, SIZE, AND TYPE OF STORMWATER MANAGEMENT

SYSTEMS THAT MAY BE DEPICTED ON THE REZONING PLAN ARE SUBJECT TO

REVIEW AND APPROVAL AS PART OF THE FULL DEVELOPMENT PLAN SUBMITTAL

NECESSARY IN ORDER TO ACCOMMODATE ACTUAL STORMWATER TREATMENT REQUIREMENTS AND NATURAL SITE DISCHARGE POINTS. REFER TO STORMWATER

7A. DEVELOPMENT SHALL PROVIDE A MINIMUM OF 5% ON-SITE OPEN SPACE.

8A. WATER/SEWER SERVICE IS AVAILABLE ON SITE AND ACCESSIBLE AT THE

8C. SEWER = EXISTING 8" GRAVITY MAIN ALONG STARMOUNT COVE LANE.

11A. ALL NEW LIGHTING SHALL BE FULL CUT-OFF TYPE LIGHTING FIXTURES

11B. THE MAXIMUM HEIGHT OF DETACHED LIGHTS WILL BE LIMITED TO 26 FEET.

DRIVEWAYS, SIDEWALKS, PARKING AREAS AND COURTYARDS.

EXCLUDING LOWER, DECORATIVE LIGHTING THAT MAY BE INSTALLED ALONG THE

0.786 ACRES

EXISTING ZONING: TOD-TR, TRANSIT ORIENTED DEVELOPMENT-TRANSIT TRANSITION

FINANCIAL INSTITUTION WITH DRIVE-THRU

PROPOSED ZONING: CG (CD), GENERAL COMMERCIAL CONDITIONAL DISTRICT

C700 - COMMERCIAL

NUMBER OF RESIDENTIAL UNITS BY HOUSING TYPE: NA

SQUARE FOOTAGE OF NON-RESIDENTIAL USES BY TYPE:

36 FEET

10 FEET

20 FEET

2,000 SFT COMMERCIAL X 1 SPACE / 1,000 SFT GFA = 2.0

2,000 SFT COMMERCIAL X 1 SPACE / 250 SFT GFA = 8.0

7 SPACES

1 SPACE

8 SPACES

ADJACENT PROPERTY OWNERS

20517304 | 30941-324 | HURON REALTY ASSOCIATES LLC

17316291 | 10702-179 | PUBLIC STORAGE INC DEPT-PT-NC-23543

17316313 | 05090-127 | ANNA MARIE AND ROBERT TALLEY

EXISTING OPEN SPACE: 5% (APPROX.)

PROPOSED OPEN SPACE: 43%

PARCEL DEED OWNER

FINANCIAL INSTITUTION, ±2,000 SFT

MAXIMUM BUILDING HEIGHT: 50 FEET

MINIMUM BUILDING HEIGHT: 24 FEET

MINIMUM PARKING: 2 SPACES

MAXIMUM PARKING: 8 SPACES

PETITION NUMBER: 2024-008

ZONING

TOD-CC

TOD-CC

TOD-CC

TOD-TR

TOD-TR

TOD-TR

8D. CAPACITY WILL BE COORDINATED THROUGH CHARLOTTE WATER.

8B. WATER = EXISTING 6" MAIN ALONG STARMOUNT COVE LANE.

NOTES FOR MORE INFORMATION.

7. PARKS, GREENWAYS, AND OPEN SPACE:

REZONING BOUNDARY.

9. FIRE PROTECTION

RESERVED

RESERVED

RESERVED

SITE ACREAGE:

EXISTING:

PROPOSED:

RESIDENTIAL DENSITY:

FLOOR AREA RATIO: NA

REQUIRED SETBACKS:

PARKING PROVIDED

STANDARD:

BARRIER FREE:

TOTAL SPACES:

MINIMUM OPEN SPACE:

FRONT:

SIDE:

DEVELOPMENT DATA TABLE

TAX PARCELS INCLUDED IN REZONING: 173-163-17

10. SIGNAGE:

11. <u>LIGHTING:</u>

AND ARE NOT IMPLICITLY APPROVED WITH THIS REZONING. ADJUSTMENTS MAY BE

STORM WATER QUALITY TREATMENT

FOR DEFINED WATERSHEDS GREATER THAN 24% BUILT-UPON AREA (BUA), CONSTRUCT WATER QUALITY STORM WATER CONTROL MEASURES (SCMS) DESIGNED FOR THE RUNOFF GENERATED FROM THE FIRST 1-INCH OF RAINFALL FOR ALL NEW AND REDEVELOPED BUA ASSOCIATED WITH THE PROJECT. SCMS MUST BE DESIGNED AND CONSTRUCTED IN ACCORDANCE WITH THE CHARLOTTE-MECKLENBURG BMP DESIGN MANUAL.

THIS STREAM. THEREFORE, THE FOLLOWING STANDARDS SHALL BE MET:

2. VOLUME AND PEAK CONTROL

FOR DEFINED WATERSHEDS GREATER THAN 24% BUILT-UPON AREA, CONTROL THE ENTIRE VOLUME FOR THE 1-YEAR, 24-HOUR STORM FOR ALL NEW AND REDEVELOPED BUA ASSOCIATED WITH THE PROJECT. RUNOFF VOLUME DRAWDOWN TIME SHALL BE IN ACCORDANCE WITH THE CHARLOTTE-MECKLENBURG BMP DESIGN MANUAL.

FOR COMMERCIAL PROJECTS GREATER THAN 24% BUA, THE REDEVELOPMENT SHALL CONTROL THE PEAK TO NOT EXCEED THE PREDEVELOPMENT RUNOFF RATES FOR THE 10-YEAR, 6-HOUR STORM AND PERFORM DOWNSTREAM FLOOD ANALYSIS TO DETERMINE WHETHER ADDITIONAL PEAK CONTROL IS NEED AND IF SO, FOR WHAT LEVEL OF STORM FREQUENCY, OR IF A DOWNSTREAM ANALYSIS IS NOT PERFORMED, CONTROL THE PEAK FOR THE 10-YEAR AND 25-YEAR, 6-HOUR





WEST EXTERIOR ÉLEVATION - PRIMARY FRONTAGE 49% GROUND FLOOR TRANSPARENCY MATERIALS: BRICK VENEER, ALUMINUM STOREFRONT WITH INSULATED GLASS



SOUTH EXTERIOR ELEVATION - SECONDARY FRONTAGE
35% GROUND FLOOR TRANSPARENCY
MATERIALS: BRICK VENEER, ALUMINUM STOREFRONT WITH INSULATED GLASS, METAL PANEL









