

Petition 2021-274 by Dickerson Realty Florida, Inc.

To Approve:

This petition is found to be **consistent** with the *2040 Policy Map* (2022) based on the information from the staff analysis and the public hearing, and because:

- The *2040 Policy Map* recommends Regional Activity Center for the site.

Therefore, we find this petition to be reasonable and in the public interest, based on the information from the staff analysis and the public hearing, and because:

- The site is within a ½-mile walk of the Carson Station.
- The TOD-UC zoning district may be applied to parcels within a ½-mile walking distance of an existing rapid transit station or within a ½-mile walking distance of an adopted Metropolitan Transit Commission (MTC) alignment station location.
- The rezoning of this parcel will allow the site to be redeveloped for transit-supportive uses.
- The site is directly adjacent to a number of parcels zoned TOD-UC.
- The use of conventional TOD-UC zoning applies standards and regulations to create desired form and intensity of transit supportive development, and a conditional rezoning is not necessary.
- TOD standards include requirements for appropriate streetscape treatment, building setbacks, street-facing building walls, entrances, and screening.
- The petition could facilitate the following *2040 Comprehensive Plan* Goals:
 - 1: 10 Minute Neighborhoods
 - 4: Trail & Transit Oriented Development
 - 5: Safe & Equitable Mobility
 - 6: Healthy, Safe & Active Communities

To Deny:

This petition is found to be **consistent** with the *2040 Policy Map* (2022) based on the information from the staff analysis and the public hearing, and because:

- The *2040 Policy Map* recommends Regional Activity Center for the site.

However, we find this petition to not be reasonable and in the public interest based on the information from the staff analysis and the public hearing, and because:

- (To be explained by the Zoning Committee)

Motion:

Approve or Deny

Maker:

2ND:

Vote:

Dissenting:

Recused: