




# ZONE COMMITMENTS

PROJECT NUMBER: 20170437 PROJECT NAME: UNC C SHEET NUMBER: RZ-01 A - CONCEPTUAL SITE PLAN M:\2017\20170437\d-7 drawings\d-7-1 revit 6/20/2018 4:38:20 PM

Front Door + Dining Terrace: Spaces shall include hardscape and landscape treatments compatible with the adjacent architecture and campus along N. Tryon St. Generally, the space shall be public, pedestrian oriented with concrete and other hardscape finishes. Landscaping, lighting and other site furnishings will also be provided.

NOTE: THE PUBLIC AREAS AND PRECEDENT IMAGES SHOWN ON THIS PAGE ARE ILLUSTRATIVE AND ARE INCLUDED TO REFLECT THE INTENT OF THESE SPACES. THIS PLAN AND IMAGES ILLUSTRATING THE PUBLIC USE AREAS ARE PROVIDING GENERAL CRITERIA WHICH WILL BE MET DURING THE DEVELOPMENT OF THE PROJECT. THE ACTUAL CONSTRUCTION OF THE AREAS ON SITE MAY VARY FROM THIS INFORMATION PROVIDED THE DESIGN INTENT IS PRESERVED.








NOT ISSUED FOR CONSTRUCTION






# 5 TRANSITIONAL LANDSCAPE +/5,100 SF

ZONE COMMITMENTS

TRANSITIONAL LANDSCAPE + J.W. CLAY STREETSCAPE: Space shall include hardscape and landscape treatments compatible with the adjacent architecture and campus along N. Tryon St. and J.W. Clay Blvd, Generally, the space shall be public, pedestrian oriented with concrete and other hardscape finishes. Landscaping and lighting will also be provided. Special attention to the site walls shall be constructed in a durable fashion of brick, stone, other finished masonry materials, wood posts and planks or metal or other materials specifically designed as fencing materials or any combination thereof. Landscaping will be used in conjunction with the walls to add accent and to assist in breaking up sections of wall. Banding or design features, change in materials, and/or landscaping will be provided to create visual interest at the pedestrian level and avoid sterile or unarticulated blank walls.



PROJECT NUMBER: 20170437 PROJECT NAME: UNC CHARLOTTE MARRIOTT SHEET NUMBER: RZ-01 A - CONCEPTUAL SITE PLAN M:\2017\20170437\d-7 drawings\d-7-1 revit\users\20170437\_A17\_CENTRAL-farahani02C 6/20/2018 4:38:20 PM 6 J.W. CLAY STREETSCAPE +/5,700 SF


> **NOTE:** THE PUBLIC AREAS AND PRECEDENT IMAGES SHOWN ON THIS PAGE ARE ILLUSTRATIVE AND ARE INCLUDED TO REFLECT THE INTENT OF THESE SPACES. THIS PLAN AND IMAGES ILLUSTRATING THE PUBLIC USE AREAS ARE PROVIDING GENERAL CRITERIA WHICH WILL BE MET DURING THE DEVELOPMENT OF THE PROJECT. THE ACTUAL CONSTRUCTION OF THE AREAS ON SITE MAY VARY FROM THIS INFORMATION PROVIDED THE DESIGN INTENT IS PRESERVED.

	COOPER CARRY
	ATLANTA NEW YORK WASHINGTO ©2018 COOPER CARR
X	SCOPE DOCUMENTS The Construction Documents have not been completed therefore this drawing ma
	be incomplete or not coordinated. The documents issued indicate the general sc of the Project. The Contractor is responsible for complete and coordinated pricin and Work, and shall include all items necessary for the proper execution and completion of the Project, whether indicated or not. All components of the Projec shall comply with any and all requirements of national, state, and local codes. Th Contractor shall inform the Owner and Architect of any omissions, inconsistencie errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Wo included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.
	ISSUANCES No. Drawing Issue Description Date
	ZONING         05-07-2018           ZONING RESUBMISSION         06-25-2018           RESUBMISSION         07-25-2018
Ŧ	
9	UNC CHARLOTTE
ш	GROUP GROUP
ш	SAGE
_	HOSPITALITY
	UNC CHARLOTTE MARRIOT
	N Tryon Street
U U	Charlotte, North Carolina
-	Stormont Hospitality Group
	CONCEPTUAL SITE PLAN
ю	
	Designer     20170437       Principal-in-Charge     Project No.
$\vdash$	Approver     06/20/18       Project Manager     Date

RZ-01C

Author

Staff Architect



d.**Number of Buildings Principal and Accessory.** Notwithstanding the number of buildings shown on the Rezoning Plan, the total number of principal buildings to be developed on the Site will be limited to two (2). Accessory buildings and structures located on the Site shall not be considered in any limitation on the number of buildings on the Site. Accessory buildings and structures will be constructed utilizing similar building materials, colors, architectural elements and designs as the principal building(s) located on the Site.

b.To allow surface parking or maneuvering space, including without limitation valet areas, between the building(s) and Robert D. Snyder Road and for the driveway/service area and N. Tryon Street due to its location below the grade of N. Tryon Street, as generally depicted

a. The Site may be developed for a full service hotel/conference center as permitted by right and under prescribed conditions together with allowed accessory uses (such as but not limiting restaurant/EDEE uses, ballrooms & meeting space, concierge services, retail uses, office uses and the like), as set forth in the TOD-M(O) district, subject to limitations described in subsection 3.b. below.

restaurants with a drive-through facility; (ii) convenience stores with gasoline sales; and (iii) stand-alone restaurant/EDEE uses that are

b. The alignment of the vehicular circulation and driveways may be modified by the Petitioner to accommodate changes in traffic patterns, parking layouts and any adjustments required for approval by the Charlotte Department of Transportation (CDOT) in accordance with published standards so long as the street network set forth on the Rezoning Plan is not materially altered.

c.Access to the service area shall be provided from the adjacent parcel as generally depicted on the Rezoning Plan.

a.Along N. Tryon Street, a 40 foot setback as measured from the existing/future back of curb will be provided.

b.Along Robert D. Snyder Road and JW Clay Boulevard, a 16 foot setback as measured from the existing/future back of curb will be

# generally depicted on the Rezoning Plan.

d.An eight (8) foot planting strip and a ten (10) foot sidewalk will be provided along JW Clay Boulevard as generally depicted on the Rezoning Plan.

e.A sixteen (16) foot planting strip and an eight (8) foot sidewalk will be provided along Robert D. Snyder Road as generally depicted on the Rezoning Plan.

seating and hardscape elements.

6.Architectural Standards.

a. The building materials used on the principal buildings constructed on Site will be a combination of some of the following: brick, stone, precast stone, precast concrete, synthetic stone, cementatious siding (such as hardi-plank), stucco, EIFS, decorative metal panels, decorative block and/or wood. Vinyl as a building material may only be used on windows, soffits, and on handrails/railings

b. The principal buildings constructed on the Site will be constructed so that the percentage of brick, stone, precast stone, precast concrete, synthetic stone per exterior building façade may vary but in no case be less than 25% exclusive of windows, doors and

c. Entrances: Primary building entrances shall be provided per Ordinance and per the following provisions:

- located shall include at least 3 of the following:
- 1. decorative pedestrian lighting;
- 2. architectural details carried to upper stories;
- canopies, awnings or sunshades; 4. archways;
- 5. transom windows;
- 6. terraced or raised planters that can be utilized as seat walls;
- 8. double doors.

ii.A minimum of two primary entrances from the active ground floor uses shall be provided to the proposed open space and/or pedestrian connections along N. Tryon Street.

adjacent public streets.

following:

i.Buildings shall be placed so as to present a front or side façade to such streets. ii. Facades fronting streets shall include a combination of windows and operable doors for a minimum of [60%] of each frontage elevation transparent glass between 2' and 10' on the first floor except as described below in subsection h. for the proposed structured parking deck. Up to 10% of this requirement may be comprised of display windows. These display windows must maintain a minimum of 3'-0" clear depth between window and rear wall. Windows within this zone shall not be screened by film, decals, and other opaque material, glazing finishes or window treatments. The maximum sill height for required transparency shall not exceed 3'-0" above adjacent street sidewalk.

brick or stone.

iv.Building elevations shall not have expanses of blank walls greater than twenty feet (20') in all directions and architectural features such as but to limited to banding, medallions or design features or materials will be provided to avoid a sterile, unarticulated blank treatment of such walls.

v.Multi-story buildings should have a minimum of 20% transparency on all upper stories.

e.Buildings over 150' in length shall provide façade variations such as window arrangement and size variation, unit entrance design, roof variation, material changes, and/or offset wall planes.

depicted on the rezoning plan.

g. The pool/amenity area at the corner of JW Clay and Robert D. Snyder will be above the grade of the adjacent sidewalk and streets. As such, the wall surrounding the pool/amenity area shall be enhanced architecturally with exterior brick and/or enhanced landscaping. The wall shall not exceed five (5) feet in height.

**h.Parking.** The parking provided on the site may be surface or structured parking as generally depicted on the Rezoning Plan. In the event structured parking is provided, the structured parking deck facade shall provide screening so that interior lighting and cars are not visible from adjacent uses and all streets. This shall primarily accomplished by the use of architectural louvers, decorative screens, solid walls with enhanced architectural details, a combination of sheet walls and landscaping, or similar. The structured parking deck is not subject to the transparency requirements set forth above.

shall be built per TOD ordinance.

7.Valet Service, Parking, and Maneuvering Restrictions.

a.As allowed by the Optional Provisions above, valet service, parking, and maneuvering is permitted in the setbacks and/or between the buildings and Robert D. Snyder Road and N. Tryon Street.

depicted on the rezoning plan.

**8.Environmental Features:** 

a. The Site shall comply with the Charlotte City Council approved and adopted Post Construction Controls Ordinance.

b.The Site will comply with the Tree Ordinance.

## 9.Lighting:

a.All new detached and attached lighting shall be full cut-off type lighting fixtures excluding; low landscape, decorative, specialty, and accent lighting that may be installed along the driveways, sidewalks, open space/amenity areas, and parking areas.

b.Detached lighting on the Site, except street lights located along public streets, will be limited to 20 feet in height.

10.Amendments to the Rezoning Plan:

a. Future amendments to the Rezoning Plan (which includes these Development Standards) may be applied for by the then Owner or Owners of the applicable portion of the Site affected by such amendment in accordance with the provisions herein and of Chapter 6 of the Ordinance.

11.Binding Effect of the Rezoning Application:

a. If this Rezoning Petition is approved, all conditions applicable to the development of the Site imposed under the Rezoning Plan will, unless amended in the manner provided herein and under the Ordinance, be binding upon and inure to the benefit of the Petitioner and subsequent owners of the Site or Development Areas, as applicable, and their respective heirs, devisees, personal representatives, successors in interest or assigns.

c. A thirteen and a half (13,5) foot planting strip and a sixteen (16) foot sidewalk will be provided along N. Tryon Street as

f. The open space areas along N. Tryon Street and JW Clay Boulevard on the Site will be improved with landscaping, lighting,

g Meter banks will be screened where visible from public view at grade level.

Each operable pedestrian entrance (defined as an entrance designed to provide customers access to the proposed uses) will be designed to be clearly identifiable and prominent elements within the building facades in which they are

7. common outdoor seating enhanced with specialty details, paving, landscaping or water features; or

iii.Direct pedestrian connections should be provided between street facing doors, corner entrance features to sidewalks on

d.Building placement and site design shall focus on and enhance the pedestrian environment on public streets, through the

iii. The facades of first/ground floor of the buildings along streets shall incorporate a minimum of 20% masonry materials such as

f.Architectural features or enhanced landscaping shall be provided at the bottom of the terraced staircase in the areas generally

i. Along streets with on-street parking the Petitioner may utilize tree grates per the CLDSM. All other streetscape infrastructure

b.A three (3) foot wall shall be provided in combination with landscaping between the valet area and the street as generally

 $\bigvee$ **COOPER CARRY** 

ATLANTA NEW YORK WASHINGTON

©2018 COOPER CARRY

## SCOPE DOCUMENTS

The Construction Documents have not been completed therefore this drawing may be incomplete or not coordinated. The documents issued indicate the general scope of the Project. The Contractor is responsible for complete and coordinated pricing and Work, and shall include all items necessary for the proper execution and completion of the Project. whether indicated or not. All components of the Project shall comply with any and all requirements of national, state, and local codes. The Contractor shall inform the Owner and Architect of any omissions, inconsistencies or errors in the information provided. If no notice is given and any omissions, inconsistencies or errors are discovered, the Architect's decisions on items of Work included in the scope shall be binding on the Contractor, when consistent with the general scope and quality of the Project.

	ISSUANCES	
No.	Drawing Issue Description	Date
	ZONING	05-07-2018
	ZONING RESUBMISSION	06-25-2018
	RESUBMISSION	07-25-2018

<b>_</b>
UNC CHARLOTTE





# **UNC CHARLOTTE MARRIOTT**

N Tryon Street Charlotte, North Carolina

Stormont Hospitality Group

# **TECHNICAL DATA SHEET**

Designer Approver Project Manage Checker Project Architect Author Staff Architec

20170437	
Project No.	
05/01/18	
Date	

**RZ-02** 



CT NAME: UNC CHAR BLDG ELEVATIONS gs\d-7-1 revit\use )437 PROJEC - CONCEPT | -7 drawing PROJECT NUMBER: 2017043 SHEET NUMBER: RZ-03.1- ( M:\2017\20170437\d-7 5/14/2018 11:36:23 AN

- COOPER THE CENTER FOR CONNEC	
ATLANTA NEW Y	ORK WASHINGTON
	©2018 COOPER CARRY
<ul> <li><u>SCOPE DOCUMENTS</u></li> <li>The Construction Documents have not been to be incomplete or not coordinated. The docum of the Project. The Contractor is responsible and Work, and shall include all items necessar completion of the Project, whether indicated or shall comply with any and all requirements of Contractor shall inform the Owner and Archite errors in the information provided. If no notice inconsistencies or errors are discovered, the included in the scope shall be binding on the general scope and quality of the Project.</li> </ul>	nents issued indicate the general scope for complete and coordinated pricing ary for the proper execution and or not. All components of the Project national, state, and local codes. The ect of any omissions, inconsistencies or e is given and any omissions, Architect's decisions on items of Work
	CES
No. Drawing Issue Des ZONING	
ZONING RESUBMISSION RESUBMISSION	06-25-2018 07-25-2018
	RMONT PITALITY UP
- SAC	
	ALITY
HOSPIT	E MARRIOTT
	TE MARRIOTT
	TE MARRIOTT
HOSPIT	TE MARRIOTT
HOSPIT	TE MARRIOTT
MOSPIT	TE MARRIOTT
HOSPIT WINC CHARLOTT N Tryon S Charlotte, Nort Stormont Hospi CONCEPT BLDG M Designer Principal-in-Charge Approver	TE MARRIOTT
	ATLANTA NEWY      SCOPE DOCUMENTS     The Construction Documents have not been be incomplete or not coordinated. The documents of the Project. The Contractor is responsible and Work, and shall include all items necess: completion of the Project, whether indicated as shall comply with any and all requirements of Contractor shall inform the Owner and Archit errors in the information provided. If no notic inconsistencies or errors are discovered, the included in the scope shall be binding on the general scope and quality of the Project.     ISSUANI     No. Drawing Issue Devision     ZONING ISSUBMISSION     RESUBMISSION

2 AERIAL PERSPECTIVE VIEW RZ-03.1 NOT TO SCALE








C | VIEW FROM JW CLAY BLVD & ROBERT D. SNYDER ROAD

PROJECT NAME: UNC CF DNCEPTUAL BLDG MASS frawings\d-7-1 revit\


PROJECT NUMBER: 20170437 SHEET NUMBER: RZ-03.2 - CC M:\2017\20170437\d-7 c 5/14/2018 11:36:25 AM




E | AERIAL VIEW OVER N. TRYON STREET OF CAMPUS PEDESTRIAN CONNECTOR














NOT ISSUED FOR CONSTRUCTION